

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1-65. (Cancelled).
66. (New) A computing device for communicating with a remotely located computing device, the computing device comprising:
- a computer-readable medium or media encoded with instructions to allow the computing device to perform the following tasks:
 - transmitting a lock session signal for a secure session from the computing device;
 - prompting a user at the computing device for identification information associated with the secure session; and
 - transmitting the identification information from the computing device.
67. (New) A computing device according to Claim 66, wherein the computing device is configured to facilitate communication of the secure session using a first communication channel and is configured to facilitate communication of the lock session signal and the identification information using a second communication channel.
68. (New) A computing device according to Claim 67, wherein the second communication channel is a Citrix® Independent Computing Architecture™ (ICA) Virtual Channel.
69. (New) A computing device according to Claim 66, wherein the transmitting a lock session signal comprises transmitting a lock session signal for a secure session upon an occurrence of a predetermined event.

70. (New) A computing device according to Claim 69, wherein the predetermined event is a lapse in a predetermined amount of time.

71. (New) A computing device according to Claim 69, wherein the predetermined event is an activation of a screen saver.

72. (New) A computing device according to Claim 66, wherein the computing device is a personal computer.

73. (New) A computing device according to Claim 66, wherein the computing device is an automated teller machine (ATM).

74. (New) A computing device according to Claim 66, wherein the computing device is an industrial controller.

75. (New) A computing device according to Claim 66, wherein the computing device is a gateway.

76. (New) A computing device according to Claim 66, wherein the computing device is an internet protocol (IP) telephone.

77. (New) A computing device according to Claim 66, wherein the computing device is a thin client.

78. (New) A computing device according to Claim 66, wherein the computing device is a personal digital assistant (PDA).

79. (New) A computing device according to Claim 66, wherein the computing device is a cellular telephone.

80. (New) A computing device according to Claim 66, wherein the identification information is not a shared screen saver password.

81. (New) A computing device according to Claim 66, wherein the computing device is configured to allow a session management operation to be triggered locally using an application at the computing device, but executed at the remotely located computing device.

82. (New) A computing device according to Claim 66, wherein transmitting the lock session signal for the secure session allows the remotely located computing device to lock the session.

83. (New) A computing device according to Claim 66, wherein the computing device is configured to facilitate a local lock at the computing device and a session lock at the remotely located computing device.

84. (New) A computer-readable medium or media encoded with instructions for facilitating management of a secure session, the instructions comprising code for:

transmitting a lock session signal for a secure session from a remote computing device;
prompting a user at the remote computing device for identification information associated with the secure session; and
transmitting the identification information from the remote computing device.

85. (New) A method for facilitating management of a secure session from a remote computing device, comprising the steps of:

transmitting a lock session signal for a secure session from a remote computing device;

prompting a user at the remote computing device for identification information associated with the secure session; and
transmitting the identification information from the remote computing device.